EPSON Aculaser 8600+

Specifications

MODEL NAME SYSTEM CONFIGURATION EFSON AcuLaser C8600 EPSON Color Image Scanner GT-15000 Color Copy Station Kit Large Capacity Paper Cassette Unit COPY SPEED First Copy Time Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	EPSON AcuLaser Color Station 8600+ (C11C457011BP) 8/35ppm colour laser printer Copy processing board, Operation Panel, Cabinet for Color Station 8600+ 2 x 500 sheets with rollers 27 sec for colour, 13 sec for B/W (A4) 8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
EPSON AcuLaser C8600 EPSON Color Image Scanner GT-15000 Color Copy Station Kit Large Capacity Paper Cassette Unit COPY SPEED First Copy Time Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	8/35ppm colour laser printer Copy processing board, Operation Panel, Cabinet for Color Station 8600+ 2 x 500 sheets with rollers 27 sec for colour, 13 sec for B/W (A4) 8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
EPSON Color Image Scanner GT-15000 Color Copy Station Kit Large Capacity Paper Cassette Unit COPY SPEED First Copy Time Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	Copy processing board, Operation Panel, Cabinet for Color Station 8600+ 2 x 500 sheets with rollers 27 sec for colour, 13 sec for B/W (A4) 8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
Color Copy Station Kit Large Capacity Paper Cassette Unit COPY SPEED First Copy Unime Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	2 x 500 sheets with rollers 27 sec for colour, 13 sec for B/W (A4) 8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
Large Capacity Paper Cassette Unit COPY SPEED First Copy Time Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	2 x 500 sheets with rollers 27 sec for colour, 13 sec for B/W (A4) 8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
COPY SPEED First Copy Time Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	27 sec for colour, 13 sec for B/W (A4) 8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
First Copy Time Multiple Copy WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	8ppm for colour, 35ppm for B/W (A4) Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
WARM-UP TIME DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	Warm-up time (either when powered up or standby mode) 330 seconds (maximum)
DOCUMENT SCANNING SIZE PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	
PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	
PAPER HANDLING Maximum Mechanical Printable Area Guaranteed Printable Area	at normal temperature
Maximum Mechanical Printable Area Guaranteed Printable Area	Up to 297mm x 432mm
Guaranteed Printable Area	(All paper capacities assume 75 g/m² paper) 318mm (W) x 443mm (L)
	Entire A3 paper area except for a 5mm margin at each edge
STANDARD PAPER INPUT	
150 Sheet Multi Purpose Cassette	A3W, A3, A4, A5, B4, B5, Executive, Letter, GLG, LGL, GLT, Half Letter, B (LD), F4, Monarch,
	Commercial 10, DL, C5, C6, IB5, Custom Plain paper, Recycled paper, Labels, Envelopes, Transparencies, Thick and extra thick paper,
	EPSON Colour Laser paper
	64-105 g/m² or up to 250 g/m² on extra thick paper
1 x 250 Sheet Paper Cassette	A3, A4, B4, Executive, Letter, Legal, B (LD)
	Plain paper, Recycled paper, EPSON Colour Laser paper 64-105 g/m²
2 x 500 Sheet Large Paper Cassette	04-105 g/m
Unit (C12C813891)	A3, A4, B4, Executive, Letter, Legal, B (LD)
	Plain paper, Recycled paper, EPSON colour paper
	64-105 g/m ²
ADDITIONAL OPTIONAL PAPER HANDLING	Plain paper, Recycled paper, EPSON colour paper
250 Sheet Paper Cassette A3W*1*2	Plain paper, Recycled paper, EPSUN colour paper 64-105 g/m²
Duplex Unit	Plain paper, Recycled paper, EPSON Colour Laser paper
	Paper size: From 182mm x 210mm to 304.8mm x 457.2mm
	64-105 g/m ² Note: Extra Thick paper, Thick paper, Transparencies, Labels and Envelopes cannot be printed
	Note: Extra Thick paper, Thick paper, Transparencies, Labels and Envelopes cannot be printed using the Duplex unit
PAPER INPUT	1,400 pages
Maximum Paper	250 Sheets (face down tray)
Output	150 Sheets face up, up to A4 (50 Sheets larger than A4)
PRINTER MEMORY	
Standard Generic / Maximum	192MB SDRAM / 1,024MB SDRAM If users want to install the maximum amount of memory, the standard 192MB DIMM must
Memory Expansion Specification	be removed and replaced by 2 x 512MB SDRAM.
Type of Memory	64-Bit High Speed PC-100 or PC-133 SDRAM DIMM
Printer Controller CPU	RISC Processor 400MHz
Printer Language	ESC/Page-Colour, PCL5e, EPSON GL/2, FX, ESC/P2, IBM I239X, ESC/Page and
DRIVERS	Adobe® PostScript® 3™ standard on EPSON AcuLaser Color Station 8600+
For ESC/Page And PostScript Language	Microsoft® Windows® 95/98/2000/Me/XP NT4.0, Mac OS 8.1/Mac OS X drivers
FEATURES	····· · · · · · · · · · · · · · · · ·
Image Density	Brightness/Contrast adjustment
Colour Adjustment	R.G.B/Hue/Saturation
User-defined Zoom Pre-set Zoom	25% to 400% by 1% increment, Automatic zoom, Automatic paper size 70% A3 → A4/B4 → B5, 81% B4 → A4, 86% A3 → B4/A4 → B5, 115% B4 → A3/B5 → A4,
	122% A4 → B4, 141% A4 → A3/B5 → B4
	64% Ledger – Letter, 73% 11 x 15 inch – Letter, 78% Legal – Letter, 121% Legal – Ledger,
	129% Letter – Ledger, 154% 5.5 x 8.5 inch – Legal
Multiple Copy Copy Job Setting In Memory	Maximum 999 copies Maximum 8 jobs
Duplex Copy	Option (Duplex unit for printer is needed)
ADVANCED FUNCTIONS	Split pages copy, join pages copy, binding margin, remove shadows, collate,
	(optional HDD is necessary)
INTERFACES	TELE KON IN THE MENTAL METAL AND
Printer	IEEE 1284 bi-directional compatible and ECP compatible parallel interface USB (2.0 compatible)
	10/100 Base Tx Ethernet Card
	Printing protocols (for Ethernet Card):
	TCP/IP (LPR, FTP, IPP, PORT2501, PORT9100), Microsoft Network (SMB), Novell NetWare (NDS Print
	Server, Bindery Print Server, Remote Printer), AppleTalk
	Management Protocols (for Ethernet Card): TCP/IP (SNMP, ENPC*, HTTP, TELNET, DHCP, BOOTP, PING), Microsoft Network (APIPA, SSDP),
	NetBEUI (SNMP, ENPC*), NetWare (SNMP, ENPC*), AppleTalk (SNMP, ENPC*)
-	*EPSON Network Peripheral Control
Scanner	SCSI, High Speed USB (2.0 compatible)
OPTIONS For Printer	6GB Hard Disk Drive (C12C823921)
	250 Sheet A3W Lower Paper Cassette Unit (C12C813521)*1, Duplex Unit (C12C813881),
	Adobe® PostScript® 3™ Kit (C12C832491)
For Scanner	ADF (B12B813213)
RELIABILITY & DURABILITY	Maintenance kit (100,000 pages) must be replaced by a service engineer
ENVIRONMENTAL CONDITIONS (Operating)	(Not included under warranty terms)
ENVIRONMENTAL CONDITIONS (Operating) Temperature	Operation: 10 to 32°C
	Storage: 0 to 35°C
Humidity	Operation: 15 to 80% no condensation
	Storage: 15 to 80% no condensation
SAFETY AND REGULATIONS Safety Standards	Low Voltage Directive 73/23/EEC, EN60950

*'To be installed in place of standard 250 sheets paper cassette *'A3W paper size (328mmx 453mm). A3W enables the printing of full A3 size documents including crop marks. *'Those figures are approximate and are based on the number of sheets printed under conditions of continuous printing. Intermittent use may reduce page yield.

1161mm 920mm 656mm

DIMENSION AND WEIGHT System Total Dimensions	656mm (W) × 920mm (D) × 1161mm (H)
System Total Weight	Approximately 150kg
CONSUMABLE LIFE**	hpproximately 150kg
Black Toner Cartridge	(C13S050038) 5,500
	pages (A4 @ 5% coverage)
Cyan Toner Cartridge	(C13S050041) 6,000
cyan toner carenage	pages (A4 @ 5% coverage)
Magenta Toner Cartridge	(C13S050040) 6,000 pages
····j····· ······j·	(A4 @ 5% coverage)
Yellow Toner Cartridge	(C13S050039) 6,000 pages
	(A4 @ 5% coverage)
Photoconductor Unit	(C13S051082) 50,000 pages
	(B/W) or 12,500 pages colour
Waste Toner Collector	(C13S050020) 20,000 pages
	(A4 @ 5% coverage)
A4 Color Laser Coated Paper Glossy Finish	(1,000 sheets per pack)
	C13S041383
A3 Color Laser Coated Paper Glossy Finish	(1,000 sheets per pack)
	C13S041384
A3W Color Laser Paper	(5 packs of 250 sheets each)
	C13S041217
WARRANTY*	1 year on site expandable
	to 3 years on site with
	EPSON CoverPlus
	* Warranty offers are not
	available in all countries.
Your EPSON dealer:	
TOUL EFSON Wedlef:	



ISO 9001 : 2000 BVQI Certification number 80678 ISO 14001 BVQI Certification number 80679

چ EPSON Aculaser





EPSON

COLOUR YOUR LIFE

EPSON Aculaser 8600+



The complete networked corporate imaging solution

- A complete, centralised colour and mono business imaging solution
- Print, copy and scan from one source
- Copy and scan from network up to A3 size
- Print up to A3W size at up to 35ppm (mono) and 8ppm (colour)
- Advanced copying with versatile media handling
- Simple integration, networking and maintenance

EPSON Aculaser 8600+

WELCOME TO THE FUTURE OF CORPORATE CO

The EPSON AcuLaser Color Station 8600+ is the complete, centralised imaging solution for your business. While paper remains crucial for sharing business information, documents and images can be shared faster and more easily than ever as digital files. The EPSON AcuLaser Color Station 8600+ provides you with a perfect solution for both formats with high quality printing, copying and scanning, in a compact, networked solution.

One location – multiple solutions

Imagine a scenario where you need to print out several copies of a presentation for a meeting in a few minutes and include a colour photo that's just arrived. Perhaps you also need to share your project on the network for your team. With the EPSON AcuLaser Color Station 8600+ you can do all this quickly, efficiently and from one location.

High quality results assured

The EPSON AcuLaser Color Station 8600+ now includes the EPSON GT-15000 scanner. With a high speed processing algorithm for Moiré reduction, sharpening and colour matching, the EPSON GT-15000 ensures you get even higher quality for more professional results.

Printing is just the beginning

Printing, copying and scanning from a network are all essential to business success. The EPSON AcuLaser Color Station 8600+ provides you with the ability to access and combine the benefits of all of these, to bring your business a major competitive advantage. In addition to the high flexibility and amazing EPSON colour, there are huge implications for improved cost and efficiency.

A world of communication

Although it provides a variety of fresh digital opportunities, the EPSON AcuLaser Color Station 8600+ continues to provide perfect support for all traditional daily activities, such as scanning and printing photos, producing multiple A4 copies in mono or vibrant EPSON colour and outputting short in-house print runs. As always, efficiency, reliability and quality are assured by EPSON's leading AcuLaser technologies.



OLOUR

Endless possibilities

Document management is simple and comprehensive. You can print up to A3W size - perfect for proofing documents with crop marks - and at a professional 2400dpi RIT resolution. In addition, you can print up to 35ppm mono and 8ppm colour, scan up to A3 size at 600dpi and share your documents on the network. The maximum paper capacity is 1,400 pages and there is an optional duplex unit to add professionalism to your presentations and improve efficiency. Copy options include one scan multi-copy and one colour copy, you can join or split pages, remove shadows and even collate originals on the optional hard disk drive.

Simple integration and maintenance

When it comes to integration and network administration, the EPSON AcuLaser Color Station 8600+ is in a class of its own. In addition to standard parallel and USB interfaces, it has built-in 10/100 Base Tx Ethernet networking, with a range of tools that make network administration easy and effective. As for maintenance, changing consumables is a quick, clean and simple process.

As simple and cost-effective as a mono printer

The EPSON AcuLaser Color Station 8600+ has the power to produce high-end photographic marketing materials but is also a superb mono printing resource. In fact, when printing in black and white the EPSON AcuLaser Color Station 8600+ is a more cost effective solution than many mono printers.

Features & Benefits

Superb 2400dpi RIT photo-like print resolution

Print up to A3W size and up to $250g/m^2$ paper thickness

Paper handling up to 1,400 sheets – from 5 different sources

Print speeds up to 35ppm mono, 8ppm colour

First page print times of 19.6 seconds in colour and 8.3 seconds in mono

600dpi, 48 bit colour scanning with one-touch simplicity

Scan to file with EPSON Scan drivers – fast efficient document sharing and storage

Optional Auto Document Feeder

Built-in 10/100 Base Tx Ethernet Print Server

Standard USB and parallel interfaces

Standard 192MB memory expandable to 1024MB

Advanced job management functions – Job Reprint, Job Verification, Job Storage, Confidential Job, Job Cancellation and collate in printer, with optional HDD

Enhanced copy functions – split/join pages and remove shadows

Backlit LCD front panel for clear printer status and simple job management

As easy to maintain as a mono printer

Excellent value - high quality without the traditional high cost

Printer management - password, access limitation

Optional duplex unit