

# Samsung Original Supplies Compatibility Chart



# Samsung Original Supplies Compatibility Chart

Colour LBP	Black	Cyan	Magenta	Yellow	Imaging Unit	Transfer Belt	Waste Toner Container	ETC
<b>CLP-300/300N</b>	CLP-K300A Average 2,000 standard pages <sup>2</sup>	CLP-C300A Average 1,000 standard pages <sup>2</sup>	CLP-M300A Average 1,000 standard pages <sup>2</sup>	CLP-Y300A Average 1,000 standard pages <sup>2</sup>	CLP-R300A Yield B&W : Average 20,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-W300A Yield B&W : Average 5,000 pages <sup>3</sup> (Colour : Average 1,250 pages)	Value Pack (C+M+Y+K) <b>CLP-P300C</b> Black Toner Average 2,000 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.	
<b>CLP-310/310N/ 315/315W</b>	CLT-K409S CLT-K4092S (EU) Average 1,500 standard pages <sup>2</sup>	CLT-C409S CLT-C4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-M409S CLT-M4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-Y409S CLT-Y4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-R409 Yield B&W : Average 24,000 pages <sup>3</sup> (Colour : Average 6,000 pages)	CLT-W409 Yield B&W : Average 10,000 pages <sup>3</sup> (Colour : Average 2,500 pages)	Value Pack (C+M+Y) <b>CLT-P409A (Americas)</b> Value Pack (Kx2) <b>CLT-P409B / CLT-P4092B (EU)</b> Value Pack (C+M+Y+K) <b>CLT-P409C / CLT-P4092C (EU)</b> Black Toner Average 1,500 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.	
<b>CLP-320/320N/ 325/325W</b>	CLT-K407S CLT-K4072S (EU) Average 1,500 standard pages <sup>2</sup>	CLT-C407S CLT-C4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-M407S CLT-M4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-Y407S CLT-Y4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-R407 Yield B&W : Average 24,000 pages <sup>3</sup> (Colour : Average 6,000 pages)	CLT-W409 Yield B&W : Average 10,000 pages <sup>3</sup> (Colour : Average 2,500 pages)	Value Pack (C+M+Y) <b>CLT-P407A (Americas)</b> Value Pack (Kx2) <b>CLT-P407B / CLT-P4072B (EU)</b> Value Pack (C+M+Y+K) <b>CLT-P407C / CLT-P4072C (EU)</b> Black Toner Average 1,500 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.	
<b>CLP-350N</b>	CLP-K350A Average 4,000 standard pages <sup>2</sup>	CLP-C350A Average 2,000 standard pages <sup>2</sup>	CLP-M350A Average 2,000 standard pages <sup>2</sup>	CLP-Y350A Average 2,000 standard pages <sup>2</sup>	CLP-R350A Yield B&W : Average 20,000 pages <sup>3</sup> (Colour : Average 11,500 pages)	CLP-W350A Yield Approx. 5,000 pages <sup>3</sup> (Colour : Approx 1,250 pages)		
<b>CLP-360/365/ 365W</b>	CLT-K406S Average 1,500 standard pages <sup>2</sup>	CLT-C406S Average 1,000 standard pages <sup>2</sup>	CLT-M406S Average 1,000 standard pages <sup>2</sup>	CLT-Y406S Average 1,000 standard pages <sup>2</sup>	CLT-R406 Yield B&W : Average 16,000 pages <sup>3</sup> (Colour : Average 4,000 pages)	CLT-W406 Yield B&W : Average 7,000 pages <sup>3</sup> (Colour : Average 1,750 pages)		
<b>CLP-415N/415NW</b>	CLT-K504S Average 2,500 standard pages <sup>2</sup>	CLT-C504S Average 1,800 standard pages <sup>2</sup>	CLT-M504S Average 1,800 standard pages <sup>2</sup>	CLT-Y504S Average 1,800 standard pages <sup>2</sup>		CLT-W504 Yield B&W : Average 14,000 pages <sup>3</sup> (Colour : Average 3,500 pages)		
<b>CLP-500/500N/ 550/550N</b>	CLP-500D7K Average 7,000 pages @ 5% coverage	CLP-500D5C Average 5,000 pages @ 5% coverage	CLP-500D5M Average 5,000 pages @ 5% coverage	CLP-500D5Y Average 5,000 pages @ 5% coverage	CLP-500RB Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-500RT Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-500WB Yield B&W : Average 12,000 pages <sup>3</sup> (Colour : Average 3,000 pages)	
<b>CLP-510/510N</b>	CLP-510D7K CLP-510D3K Average 7,000 / 3,000 pages @ 5% coverage	CLP-510D5C CLP-510D2C Average 5,000 / 2,000 pages @ 5% coverage	CLP-510D5M CLP-510D2M Average 5,000 / 2,000 pages @ 5% coverage	CLP-510D5Y CLP-510D2Y Average 5,000 / 2,000 pages @ 5% coverage	CLP-510RB Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-510RT Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-500WB Yield B&W : Average 12,000 pages <sup>3</sup> (Colour : Average 3,000 pages)	
<b>CLP-600/600N/ 650/650N</b>	CLP-K600A Average 4,000 standard pages <sup>1</sup>	CLP-C600A Average 4,000 standard pages <sup>1</sup>	CLP-M600A Average 4,000 standard pages <sup>1</sup>	CLP-Y600A Average 4,000 standard pages <sup>1</sup>		CLP-T600A Average 35,000 pages <sup>3</sup>	Fuser Unit <b>CLP-F600A (110V)</b> <b>CLP-F600B (220V)</b> *CLP-600 / 600N only Average 50,000 pages <sup>3</sup>	Fuser Unit <b>CLP-F650A (Free voltage)</b> *CLP-650 / 650N only Average 50,000 pages <sup>3</sup>

1. Declared continuous cartridge yield value in accordance with ISO/IEC WD 19798 2. Declared continuous cartridge yield value in accordance with ISO/IEC 19798 : 2006(E) 3. Average cartridge yield. This may vary depending on average area coverage & print job size

# Samsung Original Supplies Compatibility Chart

Colour LBP / Laser Fax / MFP / Colour Digital Multifunction Printer					Imaging Unit	Transfer Belt	Waste Toner Container	ETC
	Black	Cyan	Magenta	Yellow				
CLP-610ND/ 660N/ 660ND	CLP-K660A CLP-K660B Average 2,500 / 5,500 standard pages <sup>2</sup>	CLP-C660A CLP-C660B Average 2,000 / 5,000 standard pages <sup>2</sup>	CLP-M660A CLP-M660B Average 2,000 / 5,000 standard pages <sup>2</sup>	CLP-Y660A CLP-Y660B Average 2,000 / 5,000 standard pages <sup>2</sup>		CLP-T660B Average 50,000 pages <sup>3</sup>		
CLP-620ND/ 670N/ 670ND	CLT-K508S/K5082S(EU) Average 2,500 standard pages <sup>2</sup>  CLT-K508L/K5082L(EU) High yield 5,000 pages <sup>2</sup>	CLT-C508S/C5082S(EU) Average 2,000 standard pages <sup>2</sup>  CLT-C508L/C5082L(EU) High yield 4,000 pages <sup>2</sup>	CLT-M508S/M5082S(EU) Average 2,000 standard pages <sup>2</sup>  CLT-M508L/M5082L(EU) High yield 4,000 pages <sup>2</sup>	CLT-Y508S/Y5082S(EU) Average 2,000 standard pages <sup>2</sup>  CLT-Y508L/Y5082L(EU) High yield 4,000 pages <sup>2</sup>		CLT-T508 Average 50,000 pages <sup>3</sup>		
CLP-680ND/ 680DW	CLT-K506S Average 2,000 standard pages <sup>2</sup>  CLT-K506L High yield 6,000 pages <sup>2</sup>	CLT-C506S Average 1,500 standard pages <sup>2</sup>  CLT-C506L High yield 3,500 pages <sup>2</sup>	CLT-M506S Average 1,500 standard pages <sup>2</sup>  CLT-M506L High yield 3,500 pages <sup>2</sup>	CLT-Y506S Average 1,500 standard pages <sup>2</sup>  CLT-Y506L High yield 3,500 pages <sup>2</sup>		CLT-W506 Yield B&W : Average 14,000 pages <sup>3</sup> (Colour : Average 3,500 pages)		
CLP-770ND	CLT-K609S CLT-K6092S (EU) Average 7,000 standard pages <sup>2</sup>	CLT-C609S CLT-C6092S (EU) Average 7,000 standard pages <sup>2</sup>	CLT-M609S CLT-M6092S (EU) Average 7,000 standard pages <sup>2</sup>	CLT-Y609S CLT-Y6092S (EU) Average 7,000 standard pages <sup>2</sup>		CLT-T609 Average 50,000 pages <sup>3</sup>		
CLP-775ND	CLT-K609S CLT-K6092S (EU) Average 7,000 standard pages <sup>2</sup>	CLT-C609S CLT-C6092S (EU) Average 7,000 standard pages <sup>2</sup>	CLT-M609S CLT-M6092S (EU) Average 7,000 standard pages <sup>2</sup>	CLT-Y609S CLT-Y6092S (EU) Average 7,000 standard pages <sup>2</sup>		CLT-T508 Average 50,000 pages <sup>3</sup>		
CLX-2160/2160N	CLP-K300A Average 2,000 standard pages <sup>2</sup>	CLP-C300A Average 1,000 standard pages <sup>2</sup>	CLP-M300A Average 1,000 standard pages <sup>2</sup>	CLP-Y300A Average 1,000 standard pages <sup>2</sup>	CLP-R300A Yield B&W : Average 20,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-W300A Yield B&W : Average 5,000 pages <sup>3</sup> (Colour : Average 1,250 pages)	Value Pack (C+M+Y+K) CLP-P300C Black Toner Average 2,000 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.	
CLX-3160N/ 3160FN	CLP-K300A Average 2,000 standard pages <sup>2</sup>	CLP-C300A Average 1,000 standard pages <sup>2</sup>	CLP-M300A Average 1,000 standard pages <sup>2</sup>	CLP-Y300A Average 1,000 standard pages <sup>2</sup>	CLP-R300A Yield B&W : Average 20,000 pages <sup>3</sup> (Colour : Average 12,500 pages)	CLP-W300A Yield B&W : Average 5,000 pages <sup>3</sup> (Colour : Average 1,250 pages)	Value Pack (C+M+Y+K) CLP-P409C / CLT-P4092C (EU)	
CLX-3170FN/ 3175N/ 3175FN/ 3175FW	CLT-K409S CLT-K4092S (EU) Average 1,500 standard pages <sup>2</sup>	CLT-C409S CLT-C4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-M409S CLT-M4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-Y409S CLT-Y4092S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-R409 Yield B&W : Average 24,000 pages <sup>3</sup> (Colour : Average 6,000 pages)	CLT-W409 Yield B&W : Average 10,000 pages <sup>3</sup> (Colour : Average 2,500 pages)	Value Pack (C+M+Y) CLT-P409A (Americas) Value Pack (Kx2) CLT-P409B / CLT-P4092B (EU) Value Pack (C+M+Y+K) CLT-P409C / CLT-P4092C (EU)	Black Toner Average 1,500 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.
CLX-3185/3185N/ 3185FN/ 3185FW	CLT-K407S CLT-K4072S (EU) Average 1,500 standard pages <sup>2</sup>	CLT-C407S CLT-C4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-M407S CLT-M4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-Y407S CLT-Y4072S (EU) Average 1,000 standard pages <sup>2</sup>	CLT-R407 Yield B&W : Average 24,000 pages <sup>3</sup> (Colour : Average 6,000 pages)	CLT-W409 Yield B&W : Average 10,000 pages <sup>3</sup> (Colour : Average 2,500 pages)	Value Pack (C+M+Y) CLT-P407A (Americas) Value Pack (Kx2) CLT-P407B / CLT-P4072B (EU) Value Pack (C+M+Y+K) CLT-P407C / CLT-P4072C (EU)	Black Toner Average 1,500 standard pages. Cyan/Magenta/Yellow Toner Average 1,000 standard pages.

1. Declared continuous cartridge yield value in accordance with ISO/IEC WD 19798 2. Declared continuous cartridge yield value in accordance with ISO/IEC 19798 : 2006(E) 3. Average cartridge yield. This may vary depending on average area coverage & print job size

# Samsung Original Supplies Compatibility Chart

Colour Laser Fax / MFP / Colour Digital Multifunction Printer					Imaging Unit	Transfer Belt	Waste Toner Container	ETC
	Black	Cyan	Magenta	Yellow				
CLX-3300/3305/ 3305W	CLT-K406S Average 1,500 standard pages <sup>2</sup>	CLT-C406S Average 1,000 standard pages <sup>2</sup>	CLT-M406S Average 1,000 standard pages <sup>2</sup>	CLT-Y406S Average 1,000 standard pages <sup>2</sup>	CLT-R406 Yield B&W : Average 16,000 pages <sup>3</sup> (Colour : Average 4,000 pages)		CLT-W406 Yield B&W : Average 7,000 pages <sup>3</sup> (Colour : Average 1,750 pages)	
CLX-4195N/ 4195FN/ 4195FW	CLT-K504S Average 2,500 standard pages <sup>2</sup>	CLT-C504S Average 1,800 standard pages <sup>2</sup>	CLT-M504S Average 1,800 standard pages <sup>2</sup>	CLT-Y504S Average 1,800 standard pages <sup>2</sup>			CLT-W504 Yield B&W : Average 14,000 pages <sup>3</sup> (Colour : Average 3,500 pages)	
CLX-6200ND/ 6200FX/ 6210FX/ 6240FX	CLP-K660A CLP-K660B Average 2,500 / 5,500 standard pages <sup>2</sup>	CLP-C660A CLP-C660B Average 2,000 / 5,000 standard pages <sup>2</sup>	CLP-M660A CLP-M660B Average 2,000 / 5,000 standard pages <sup>2</sup>	CLP-Y660A CLP-Y660B Average 2,000 / 5,000 standard pages <sup>2</sup>			CLP-T660B Average 50,000 pages <sup>3</sup>	
CLX-6220FX/ 6250FX	CLT-K508S/K5082S(EU) Average 2,500 standard pages <sup>2</sup> CLT-K508L/K5082L(EU) High yield 5,000 pages <sup>2</sup>	CLT-C508S/C5082S(EU) Average 2,000 standard pages <sup>2</sup> CLT-C508L/C5082L(EU) High yield 4,000 pages <sup>2</sup>	CLT-M508S/M5082S(EU) Average 2,000 standard pages <sup>2</sup> CLT-M508L/M5082L(EU) High yield 4,000 pages <sup>2</sup>	CLT-Y508S/Y5082S(EU) Average 2,000 standard pages <sup>2</sup> CLT-Y508L/Y5082L(EU) High yield 4,000 pages <sup>2</sup>			CLT-T508 Average 50,000 pages <sup>3</sup>	
CLX-6260ND/ 6260FD/ 6260FR/ 6260FW	CLT-K506S Average 2,000 standard pages <sup>2</sup> CLT-K506L High yield 6,000 pages <sup>2</sup>	CLT-C506S Average 1,500 standard pages <sup>2</sup> CLT-C506L High yield 3,500 pages <sup>2</sup>	CLT-M506S Average 1,500 standard pages <sup>2</sup> CLT-M506L High yield 3,500 pages <sup>2</sup>	CLT-Y506S Average 1,500 standard pages <sup>2</sup> CLT-Y506L High yield 3,500 pages <sup>2</sup>			CLT-W506 Yield B&W : Average 14,000 pages <sup>3</sup> (Colour : Average 3,500 pages)	
<b>MultiXpress</b> C8380ND	CLX-K8380A Average 20,000 standard pages <sup>2</sup>	CLX-C8380A Average 15,000 standard pages <sup>2</sup>	CLX-M8380A Average 15,000 standard pages <sup>2</sup>	CLX-Y8380A Average 15,000 standard pages <sup>2</sup>	Imaging Unit CLX-R838XC Average 30,000 standard pages <sup>3</sup>	Imaging Unit CLX-R838XM Average 30,000 standard pages <sup>3</sup>	Imaging Unit CLX-R838XY Average 30,000 standard pages <sup>3</sup>	Imaging Unit CLX-R838XK Average 30,000 standard pages <sup>3</sup>
<b>MultiXpress</b> C8385ND	CLX-K8385A Average 20,000 standard pages <sup>2</sup>	CLX-C8385A Average 15,000 standard pages <sup>2</sup>	CLX-M8385A Average 15,000 standard pages <sup>2</sup>	CLX-Y8385A Average 15,000 standard pages <sup>2</sup>	Imaging Unit CLX-R8385C Average 30,000 standard pages <sup>3</sup>	Imaging Unit CLX-R8385M Average 30,000 standard pages <sup>3</sup>	Imaging Unit CLX-R8385Y Average 30,000 standard pages <sup>3</sup>	Imaging Unit CLX-R8385K Average 30,000 standard pages <sup>3</sup>
<b>MultiXpress</b> C8640NA/ C8650NA	CLT-K659S Average 20,000 standard pages <sup>2</sup>	CLT-C659S Average 20,000 standard pages <sup>2</sup>	CLT-M659S Average 20,000 standard pages <sup>2</sup>	CLT-Y659S Average 20,000 standard pages <sup>2</sup>	Imaging Unit CLT-R659 Average 40,000 standard pages <sup>3</sup>			Waste toner container CLT-W659 Yield B&W : Average 80,000 pages <sup>3</sup> (Colour : Average 20,000 pages)
<b>MultiXpress</b> C9201NA/ C9251NA/ C9301NA	CLT-K809S Average 20,000 standard pages <sup>2</sup>	CLT-C809S Average 15,000 standard pages <sup>2</sup>	CLT-M809S Average 15,000 standard pages <sup>2</sup>	CLT-Y809S Average 15,000 standard pages <sup>2</sup>	Imaging Unit CLT-R809 Average 50,000 standard pages <sup>3</sup>			Waste toner container CLT-W809 Yield B&W : Average 50,000 pages <sup>3</sup> (Colour : Average 12,500 pages)
<b>MultiXpress</b> C9250ND C9350ND	CLT-K606S/K6062S(EU) Average 25,000 pages <sup>2</sup>	CLT-C606S/C6062S(EU) Average 20,000 pages <sup>2</sup>	CLT-M606S/M6062S(EU) Average 20,000 pages <sup>2</sup>	CLT-Y606S/Y6062S(EU) Average 20,000 pages <sup>2</sup>	Imaging Unit CLT-R607C Average 75,000 standard pages <sup>3</sup>	Imaging Unit CLT-R607M Average 75,000 standard pages <sup>3</sup>	Imaging Unit CLT-R607Y Average 75,000 standard pages <sup>3</sup>	Waste Toner Container CLT-W606 Average 75,000 images <sup>3</sup>

1. Declared continuous cartridge yield value in accordance with ISO/IEC WD 19798 2. Declared continuous cartridge yield value in accordance with ISO/IEC 19798 : 2006(E) 3. Average cartridge yield. This may vary depending on average area coverage & print job size

## Samsung Original Supplies Compatibility Chart

Inkjet Fax / MFP	Black	Twin Pack / High Capacity INK	Colour
<b>SF-330/331P/335T</b>	<b>INK-M40</b> Yield : 750 pages @ 4% chart with draft mode	<b>INK-M40V</b> Yield : 1,500 pages @ 4% chart with draft mode	
<b>SF-340/341P/345TP</b>	<b>INK-M40</b> Yield : 750 pages @ 4% chart with draft mode	<b>INK-M40V</b> Yield : 1,500 pages @ 4% chart with draft mode	
<b>SF-350</b>	<b>INK-M55</b> Yield : 1,000 pages @ 4% chart with draft mode		
<b>SF-360/361P/365TP</b>	<b>INK-M40 / INK-M45 (China only)</b> Yield : 750 pages @ 4% chart with draft mode	<b>INK-M40V</b> Yield : 1,500 pages @ 4% chart with draft mode	
<b>SF-370/371/375TP</b>	<b>INK-M43 / INK-M41 (EU/CIS)</b> Yield : 750 pages @ 4% chart with draft mode	<b>INK-M41V (EU/CIS)</b> Yield : 1,500 pages @ 4% chart with draft mode (x 2)	
<b>SF-3100/3100T</b>	<b>INK-M10</b> Yield : 1,000 pages @ 4% chart with draft mode		
<b>SF-3100P</b>	<b>INK-M10</b> Yield : 1,000 pages @ 4% chart with draft mode		<b>INK-C10</b> Yield : 275 pages @ 15% chart with draft mode
<b>SF-3200/3200T</b>	<b>INK-M10</b> Yield : 1,000 pages @ 4% chart with draft mode		
<b>SF-3200P</b>	<b>INK-M10</b> Yield : 1,000 pages @ 4% chart with draft mode		<b>INK-C10</b> Yield : 275 pages @ 15% chart with draft mode
<b>CJX - 1000/1050W/2000FW(EU Only)</b>	<b>INK-M210</b> Yield : 250 pages @ 4% chart with draft mode	<b>INK-M215</b> Yield : 430 pages @ 4% chart with draft mode	<b>INK-C210</b> Yield : 250 pages @ 15% chart with draft mode

  

Photo Printers	Colour
<b>SPP-2020/2020R/2020B</b>	<b>IPP-46120G</b> ribbon cartridge + glossy photo paper : 120 pages
<b>SPP-2040/2040S/2040B</b>	<b>IPP-46120G</b> ribbon cartridge + glossy photo paper : 120 pages



## The benefit of using Samsung original supplies

Samsung printing supplies are specially designed to work together with Samsung printer. We assure optimal print quality with sharp, clear output from first print to last.

Remanufactured	Key differences	Comparison of printout quality
	<b>Smudge</b> Yellow streaks and smudges print across the document.	
	<b>Smudge</b> Red streaks and smudges print across the document.	
	<b>Streaks</b> During printing, image density is inconsistent and horizontal and vertical lines appear.	
	<b>Ghost effect</b> Red dots are printed on the document background.	
	<b>Uneven fill</b> The printed characters are blurry and faded so the text cannot be read.	

This information is based on test results of LGA. 2007 Cartridge Comparison Study test results provided by LGA. Testing performed on CLP-510D7K, CLP-510D5C, CLP-510D5M and CLP-510D5Y laser cartridges. Tests were performed under laboratory conditions and actual performance may vary.

# Samsung Original Supplies Compatibility Chart

	Monochrome LBP	Black	Twin Pack & ETC
<b>ML-1010</b>	ML-1210D3 Average 2,500 pages @ 5% Coverage		
<b>ML-1210/1220M/1250</b>	ML-1210D3 Average 2,500 pages @ 5% Coverage		
<b>ML-1430</b>	ML-1210D3 Average 2,500 pages @ 5% Coverage		
<b>ML-1500/1510</b>	ML-1710D3 Average 3,000 pages @ IDC 5% Coverage		
<b>ML-1520</b>	ML-1520D3 Average 3,000 standard pages <sup>4</sup>		
<b>ML-1610/1610R/1615</b>	ML-1610D2 (Before) ▶ MLT-D119S (After) Average 2,000 standard pages <sup>4</sup>		
<b>ML-1620/1625/1625R</b>	ML-1610D2 (Before) ▶ MLT-D119S (After) Average 2,000 standard pages <sup>4</sup>		
<b>ML-1630/1630W</b>	ML-D1630A Average 2,000 standard pages <sup>4</sup>		
<b>ML-1640</b>	MLT-D108S / MLT-1082S (EU) Average 1,500 standard pages <sup>4</sup>	MLT-P108A / MLT-P1082A (EU) Average 3,000 standard pages <sup>4</sup>	
<b>ML-1660/1665/1670/1675/ 1860/1865/1865W</b>	MLT-D104S / MLT-1042S (EU) / MLT-1043S Average 1,500 standard pages <sup>4</sup> MLT-D104X / MLT-D1042X (EU) Average 700 standard pages <sup>4</sup>		
<b>ML-1710/1710P/1750</b>	ML-1710D3 Average 3,000 pages @ IDC 5% Coverage		
<b>ML-1740</b>	ML-1710D3 Average 3,000 pages @ IDC 5% Coverage		
<b>ML-1910/1915/ 2525/2580N/2525W</b>	MLT-D105S / MLT-D1052S (EU) Average 1,500 standard pages <sup>4</sup>	MLT-D105L / MLT-D1052L (EU) Average 2,500 standard pages <sup>4</sup> MLT-P105A/ MLT-P1052A (EU) Average 5,000 standard pages <sup>4</sup>	
<b>ML-2010/2010R/2010PR/ 2015/2020</b>	ML-2010D3 Average 3,000 standard pages <sup>4</sup> (Before) ▶ MLT-D119S Average 2,000 standard pages <sup>4</sup> (After)		
<b>ML-2150/2151N/2152W</b>	ML-2150D8 Average 8,000 standard pages <sup>4</sup>		
<b>ML-2160/2165/2165W</b>	MLT-D101S Average 1,500 standard pages <sup>4</sup>		
<b>ML-2240</b>	MLT-D108S / MLT-1082S (EU) Average 1,500 standard pages <sup>4</sup>		
<b>ML-2245</b>	MLT-D106S Average 2,000 standard pages <sup>4</sup>	MLT-R106 Average 12,000 standard pages <sup>5</sup>	
<b>ML-2250/2251N/2251NP/2252W</b>	ML-2250D5 Average 5,000 standard pages <sup>4</sup>		
<b>ML-2510/2570/2571N</b>	ML-2010D3 Average 3,000 standard pages <sup>4</sup> (Before) ▶ MLT-D119S Average 2,000 standard pages <sup>4</sup> (After)		
<b>ML-2540/2545/2541/2645</b>	MLT-D105S / MLT-D1052S (EU) Average 1,500 standard pages <sup>4</sup>	MLT-D105L / MLT-D1052L (EU) Average 2,500 standard pages <sup>4</sup> MLT-P105A/ MLT-P1052A (EU) Average 5,000 standard pages <sup>4</sup>	
<b>ML-2550/2551N/2552W</b>	ML-2550DA Average 10,000 standard pages <sup>4</sup>		
<b>ML-2850D/2851ND</b>	ML-D2850A Average 2,000 standard pages <sup>4</sup>	ML-D2850B Average 5,000 standard pages <sup>4</sup>	
<b>ML-2855ND</b>	MLT-D209S / MLT-D2092S (EU) Average 2,000 standard pages <sup>4</sup>	MLT-D209L / MLT-D2092L (EU) Average 5,000 standard pages <sup>4</sup>	
<b>ML-2950ND/2955ND/2955DW</b>	MLT-D103S Average 1,500 standard pages <sup>4</sup>	MLT-D103L Average 2,500 standard pages <sup>4</sup>	
<b>ML-3050/3051N/3051ND</b>	ML-D3050A Average 4,000 standard pages <sup>4</sup>	ML-D3050B Average 8,000 standard pages <sup>4</sup>	
<b>ML-3310D/3310ND</b>	MLT-D205S Average 2,000 standard pages <sup>4</sup>	MLT-D205L High yield 5,000 standard pages <sup>4</sup>	
<b>ML-3470D/3471ND</b>	ML-D3470A Average 4,000 standard pages <sup>4</sup>	ML-D3470B Average 10,000 standard pages <sup>4</sup>	
<b>ML-3560/3561N/3561ND</b>	ML-3560D6 Average 6,000 standard pages <sup>4</sup>	ML-3560DB Average 12,000 standard pages <sup>4</sup>	
<b>ML-3710D/3710ND/3710DW</b>	MLT-D205S Average 2,000 standard pages <sup>4</sup>	MLT-D205L High yield 5,000 standard pages <sup>4</sup> MLT-D205E Extra High yield 10,000 standard pages <sup>4</sup>	
<b>ML-3750ND</b>		MLT-D305L Average 15,000 standard pages <sup>4</sup>	
<b>ML-4050N</b>	ML-D4550A Average 10,000 standard pages <sup>4</sup>	ML-D4550B Average 20,000 standard pages <sup>4</sup>	
<b>ML-4510ND/5010ND/5015ND/ 4512ND/5012ND/5017ND</b>	MLT-D307S Average 7,000 standard pages <sup>4</sup>	MLT-D307L High yield 15,000 standard pages <sup>4</sup> MLT-D307E Extra High yield 20,000 standard pages <sup>4</sup> MLT-D307U Ultra High yield 30,000 standard pages <sup>4</sup> Imaging Unit MLT-R307 Average 60,000 standard pages <sup>5</sup>	
<b>ML-4550R/4551NR/4551NDR</b>	ML-D4550A Average 10,000 standard pages <sup>4</sup>	ML-D4550B Average 20,000 standard pages <sup>4</sup>	
<b>ML-5510N/5510ND/6510ND</b>	MLT-D309S Average 10,000 standard pages <sup>4</sup>	MLT-D309L High yield 30,000 standard pages <sup>4</sup> MLT-D309E Extra High yield 40,000 standard pages <sup>4</sup> Imaging Unit MLT-R309 Average 80,000 standard pages <sup>4</sup>	

4. Declared cartridge yield value in accordance with ISO/IEC 19752 5. This may vary depending on average area coverage & print job size

# Samsung Original Supplies Compatibility Chart

	Monochrome Laser Fax/MFPs / Digital Multifunction Printer	Black	Twin Pack & ETC
<b>SF-515</b>	<b>SF-5100D3</b> Average 2,500 pages @ IDC 5% Coverage		
<b>SF-530/531P</b>	<b>SF-5100D3</b> Average 2,500 pages @ IDC 5% Coverage		
<b>SF-560/565P</b>	<b>SCX-4216D3</b> Average 3,000 pages @ IDC 5% Coverage	<b>SCX-P4216A</b> Average 6,000 (3,000 x 2) standard pages @ IDC 5% Coverage	
<b>SF-560R/565PR</b>	<b>SF-D560R</b> Average 3,000 standard pages <sup>4</sup>		
<b>SF-650/650P</b>	<b>MLT-D105S / MLT-D1052S (EU)</b> Average 1,500 standard pages <sup>4</sup>	<b>MLT-D105L / MLT-D1052L (EU)</b> Average 2,500 standard pages <sup>4</sup> <b>MLT-P105A / MLT-P1052A (EU)</b> Average 5,000 standard pages <sup>4</sup>	
<b>SF-750/755P</b>	<b>SCX-4216D3</b> Average 3,000 pages @ IDC 5% Coverage	<b>SCX-P4216A</b> Average 6,000 (3,000 x 2) standard pages @ IDC 5% Coverage	
<b>SF-760P</b>	<b>MLT-D101S</b> Average 1,500 standard pages <sup>4</sup>		
<b>SF-830/835P</b>	<b>SCX-5312D6</b> Average 6,000 pages @ IDC 5% Coverage <b>SCX-5315R2</b> Average 15,000 pages <sup>5</sup>		
<b>SF-5100/5100P</b>	<b>SF-5100D3</b> Average 2,500 pages @ IDC 5% Coverage		
<b>SCX-3200/3205/3205W</b>	<b>MLT-D104S / MLT-1042S (EU) / MLT-1043S</b> Average 1,500 standard pages <sup>4</sup> <b>MLT-D104X / MLT-D1042X (EU)</b> Average 700 standard pages <sup>4</sup>		
<b>SCX-3400/3405/3405W 3400F/3405F/3405FW</b>	<b>MLT-D101S</b> Average 1,500 standard pages <sup>4</sup>		
<b>SCX-4016/4116/4216F</b>	<b>SCX-4216D3</b> Average 3,000 pages @ IDC 5% Coverage	<b>SCX-P4216A</b> Average 6,000 (3,000 x 2) standard pages @ IDC 5% Coverage	
<b>SCX-4100</b>	<b>SCX-4100D3</b> Average 3,000 standard pages <sup>4</sup>		
<b>SCX-4200</b>	<b>SCX-D4200A</b> Average 3,000 standard pages <sup>4</sup>		
<b>SCX-4300</b>	<b>MLT-D109S / MLT-D1092S (EU)</b> Average 2,000 standard pages <sup>4</sup>		
<b>SCX-4321/4521F</b>	<b>SCX-4521D3</b> Average 3,000 standard pages <sup>4</sup> (Before) ◆ <b>MLT-D119S</b> Average 2,000 standard pages <sup>4</sup> (After)	<b>SCX-P4521A</b> Average 6,000 (3,000 x 2) standard pages <sup>4</sup>	
<b>SCX-4500/4500W</b>	<b>ML-D1630A</b> Average 2,000 standard pages <sup>4</sup>		
<b>SCX-4520/4720F/4720FN</b>	<b>SCX-4720D3</b> Average 3,000 standard pages <sup>4</sup> <b>SCX-4720D5</b> Average 5,000 standard pages <sup>4</sup>		
<b>SCX-4600/4623F/4623FN/4623FW</b>	<b>MLT-D105S / MLT-D1052S (EU)</b> Average 1,500 standard pages <sup>4</sup>	<b>MLT-D105L / MLT-D1052L (EU)</b> Average 2,500 standard pages <sup>4</sup> <b>MLT-P105A / MLT-P1052A (EU)</b> Average 5,000 standard pages <sup>4</sup>	
<b>SCX-4650/4650N/4655F/4655FN</b>	<b>MLT-D117S</b> Average 2,500 standard pages <sup>4</sup>		
<b>SCX-4725FN/4725F</b>	<b>SCX-D4725A</b> Average 3,000 standard pages <sup>4</sup>		
<b>SCX-4728FD/4729FD/4729FW</b>	<b>MLT-D103S</b> Average 1,500 standard pages <sup>4</sup>	<b>MLT-D103L</b> Average 2,500 standard pages <sup>4</sup>	
<b>SCX-4824FN/4828FN</b>	<b>MLT-D209S / MLT-D2092S (EU)</b> Average 2,000 standard pages <sup>4</sup>	<b>MLT-D209L / MLT-D2092L (EU)</b> Average 5,000 standard pages <sup>4</sup>	
<b>SCX-4833FD/4833FR 4835FD/4835FR(US)</b>	<b>MLT-D205S</b> Average 2,000 standard pages <sup>4</sup>	<b>MLT-D205L</b> High yield 5,000 standard pages <sup>4</sup>	
<b>SCX-5015/5112/5115</b>	<b>SCX-5312D6</b> Average 6,000 pages @ IDC 5% Coverage <b>SCX-5315R2</b> Average 15,000 pages <sup>5</sup>		
<b>SCX-5312F/5315F</b>	<b>SCX-5312D6</b> Average 6,000 standard pages <sup>4</sup> <b>SCX-5315R2</b> Average 15,000 pages <sup>5</sup>		
<b>SCX-5330N/5530FN</b>	<b>SCX-D5530A</b> Average 4,000 standard pages <sup>4</sup> <b>SCX-D5530B</b> Average 8,000 standard pages <sup>4</sup>		
<b>SCX-5635FN/5835FN</b>	<b>MLT-D208S / MLT-D2082S (EU)</b> Average 4,000 standard pages <sup>4</sup>	<b>MLT-D208L / MLT-D2082L (EU)</b> Average 10,000 standard pages <sup>4</sup> <b>MLT-P208A / MLT-P2082A (EU)</b> Average 20,000 (10,000 x 2) standard pages <sup>4</sup>	

4. Declared cartridge yield value in accordance with ISO/IEC 19752 5. This may vary depending on average area coverage & print job size

## Samsung Original Supplies Compatibility Chart

Monochrome Laser Fax/MFPs / Digital Multifunction Printer	Black	Twin Pack & ETC
<b>SCX-5637FR/5737FW 5639FR/5739FW(US)</b>	MLT-D205S Average 2,000 standard pages <sup>4</sup>	MLT-D205L High yield 5,000 standard pages <sup>4</sup> MLT-D205E Extra High yield 10,000 standard pages <sup>4</sup>
<b>SCX-5935FN (US Only)</b>	MLT-D206S Average 4,000 standard pages <sup>4</sup>	MLT-D206L Average 10,000 standard pages <sup>4</sup> MLT-P206A Average 20,000 (10,000 x 2) standard pages <sup>4</sup>
<b>SCX-6220/6320F</b>	SCX-6320D8 Average 8,000 standard pages <sup>4</sup> SCX-6320R2 Average 20,000 pages <sup>5</sup>	SCX-P6320A Average 16,000 (8,000 x 2) Standard pages <sup>4</sup>
<b>MultiXpress 6122FN/6322DN</b>	SCX-6320D8 Average 8,000 standard pages <sup>4</sup> SCX-6320R2 Average 20,000 pages <sup>5</sup>	SCX-P6320A Average 16,000 (8,000 x 2) Standard pages <sup>4</sup>
<b>MultiXpress 6345N</b>	SCX-D6345A Average 20,000 standard pages <sup>4</sup> SCX-R6345A Average 60,000 pages <sup>5</sup>	
<b>MultiXpress 6555N/6545N</b>	SCX-D6555A Average 25,000 standard pages <sup>4</sup> SCX-R6555A Average 80,000 pages	
<b>MultiXpress 8030ND/8040ND</b>	MLT-K607S Average 20,000 pages <sup>4</sup> MLT-K606S Average 35,000 pages <sup>4</sup>	Imaging Unit MLT-R607K Average 100,000 Standard pages <sup>4</sup> Waste Toner Container MLT-W606 Average 300,000 Standard pages <sup>5</sup>
<b>MultiXpress 8123NA/8128NA</b>	MLT-D709S Average 25,000 standard pages <sup>4</sup>	Imaging Unit MLT-R709 Average 100,000 Standard pages <sup>4</sup> Waste Toner Container MLT-W709 Average 100,000 Standard pages <sup>5</sup>

4. Declared cartridge yield value in accordance with ISO/IEC 19752 5. This may vary depending on average area coverage & print job size

### Imagine security labels to prove it is original Samsung

#### Verification of colour changing film

The label changes colour when viewed from different positions. When viewed head-on at an angle of 0° the film is clear. At a viewing angle of about 60° the colour changes to cyan.



#### Verification of colour changing embossed "Samsung Logo"

The embossed characters change colour between red-gold and blue when viewed from different angles. Verification of the embossed character is possible by feeling the texture.



Published by Samsung IT Solutions Business  
\* Design and Specifications are subject to change without notice.

\* Trademarks of other companies mentioned in this publication are hereby recognised and acknowledged.

Distributed by

Printing solutions  
as easy as

